




REXframe Solutions





Contents

3 - 10 / REXwall

11 - 12 / REXframe Lightboxes

13 - 14 / REXframe D'LiTe Range

15 - 16 / REXframe Universal
Retro Range

17 - 23 / REXframe Product List

24 - 30 / REXframe Gallery



REXframe Outdoor Structure

The REXwall System is a simple way to create booths and partitions, specifically aimed at the end user, it is designed exclusively to suit fabric finished with a silicon edge gasket (SEG). The simple locking system allows frames to be put together quickly and easily, with no experience and just one lock key.

The select range of profiles and accessories is all that is needed to create an impactful space in little time. Ideal for exhibition booths, hanging shapes, large free standing structures, cubes, lightboxes and much more, the REXwall system allows you to push the boundaries like never before.



REXframe lightbox tunnel

The functionality of this range is second to none, all pieces can be 'modularized', and used time and time again in any environment. Shelving, windows, doors, TV supports & lighting can be added, making the REXwall range the most versatile fabric solution on the market.


REXwall Introduction



REXwall archways with face mounted REXframe circular frames



REXwall backwall and Registration window



At the centre of the REXwall system is the RX-105 Double Sided Profile, being one of the most versatile profiles in the range, it is now being utilized like never before.

The RX-105 rails are simply locked in to any of the REXwall posts, allowing cubes, partitions and large walls to be erected quickly and easily. The versatility of the system is second to none, using standardized sizes the RX-105 rails can be adapted to any build and easily connected to create dynamic displays.

The REXwall RX-127 Corner Post is ideal for connecting two faces. This profile allows for a 90° change in direction whilst maintaining a constant channel for

SEG finished fabric. The post neatly houses fabric corners, resulting in a tight, seamless face.

The REXwall RX-126 Tri Post is the next step in creating intricacy. This profile enables segmentation, offering a three way join that allows users more varied customisation possibilities. SEG channels allow for all fabrics to be managed accordingly.

The adaptability of the REXwall RX-117 Post is unparalleled. This profile allows for the connection of up to four faces, in four directions, allowing for the most customisation of all the posts.

The endless creative possibilities clearly set the REXwall system above the rest.

REXwall Profiles



**LEVEL 4
UPPER EXHIBITION HALLS**

- Registration & Badge Collection
- Exhibition Zones**
 - Coffee, Tea & Drinks
 - Dairy
 - Flavours of the World
 - Front of House
 - Hospitality & Retail Technology
 - Meat & Seafood
 - Packaging

- Features**
- Talking Tech
Sponsored by Square
 - Talking Trends

**LEVEL 3
MEETING ROOMS**

- Austrade International Lounge
- Meeting & Function Rooms

LEVEL 2

- Registration & Badge Collection
- New Product Showcase

**LEVEL 1
LOWER EXHIBITION HALLS**

- Exhibition Zones**
 - Bakery
 - Catering Equipment
 - Flavours of the World
- Features**
 - ACF Culinary Challenge
 - Bake Skills Australia
 - Mayers Innovation in Pastryerie
 - Nestlé Golden Chef's Hat Competition

REXwall fabric archway



REXwall fabric cubes approx 16ft high



REXwall accessories play a large role in the endless capabilities of the REXwall system. From shelving, to lighting, to mounting, every customisation need and want can be accomplished through the use of one of our many attachments.

The REXwall RX-212 90° lock is an essential accessory to all frame plans. It enables the connection of one profile to another with one simple twist. One tool fits all and the RX-212 fits the majority of situations making it a key accessory to have on hand.

Stand-alone frames are space-conscious, sleek and effective. These frames are made possible with the REXframe RX-232 105 Corner Knuckle. This knuckle connects two pieces of RX-105 rail at a 90° angle with RX-212 locks, whilst maintaining the SEG channel. Simple, compact, efficient.

Lightboxes are a great way to boost the impact and reception of your signage. Using the REXframe lighting accessories, REXwall cubes and structures can be retro fit with LED modules to create illuminated displays.


REXwall Accessories



REXwall curved outdoor structure



REXwall with acrylic cutout



A lock key is the only tool needed to construct REXwall. The versatility and simplicity of the profiles lets you create large, impactful environments in a fraction of the time, with no prior experience.

The REXwall range is broken into two categories:
Rails & Posts






The REXwall posts are designed to create a strong foundation for any construction, the builds are structurally sound with little support or bracing needed. All posts are interchangeable, allowing any

structure to be altered with ease.

The adaptability of REXwall rails allows you to create any space imaginable, the simple connection system means structures and sizes can be altered at the last minute with no need for additional fabrication.

REXwall creates a world of possibilities.

REXwall Construction



*Adjustable feet can be added for any uneven surfaces.



The REXframe Lightbox profiles use low voltage LED lighting and create a beautiful, eye catching effect at any exhibition environment.

The LED lighting provides bright, even illumination with long life and low power consumption, LED lights are the smart lighting choice, giving better results at a fraction of the energy cost. The 24 volt LED modules simply clip into the frame and are easily removed when dismantling. As with all REXframe systems, the print can be easily changed to match the season, event or promotion.

Available in double sided, single sided, slim line and the ADA compliant D'LiTe option, it has never been easier to create lightboxes.

All REXframe lightbox profiles can utilize the Edge lit or the LaddeREX System, creating more diversity & control than ever before. Lightboxes can be dimmed to create a more subtle effect, or displayed with movement and vibrant colours via the RGB modules.

The Light Box is brilliant and brightens up any space simply and tastefully.

REXframe Lightboxes



REXframe curved fabric lightboxes



REXframe angled lightboxes



Free standing, suspended and wall mounted, the D'LiTe REXframe profiles are a lighter, more cost effective option. Perfect for media walls, stage backdrops, petitioning a room, directional or promotional signage, these profiles are a great solution for exhibition spaces with high traffic.

The free standing Double Sided D'LiTe REXframe (RX-119) has two sturdy feet to provide the required stability for any event, it is quick to assemble and can be easily dismantled and stored.

The Single Sided D'LiTe (RX-118) is lightweight, compact and cost effective. It is perfect for wall mounting and can be utilized on existing systems

At under 4" wide, the ADA compliant Wall Mount Lightbox D'LiTe (RX-120) is perfect for adding the 'WOW' factor, using the Edge lit or LaddeREX System this profile is simple to put together and can brighten up any space.

Offering "more bang for your buck", the D'LiTe options make it easier than ever before to create a high impact space at a fraction of the cost.


REXframe D'LiTe Range



REXframe Slim Lightbox inset into wall



REXframe free standing D'Lite media wall



The versatile and practical Universal and Retro profiles are a great introduction to the REXframe easy solution system.

Simply screw onto an existing surface, inside a cavity or onto an existing light box frame to convert traditional printing into a fabric graphic alternative.

These profiles can be used for a wide variety of situations. An upgrade to an easy and cost effectively option, offering a whole new look.

Quick, tool free fabric graphic changes in seconds.

REXframe Universal Retro Range




REXframe Universal fixed to existing wall with door cut out



REXframe Universal fixed to angled wall, with cutouts and doors

REXframe Profiles





Single Sided Knuckle | RX-200



Double Sided Knuckle | RX-202



Standard Elbow | RX-203




Heavy Duty Elbow | RX-204



Heavy Duty Joiner | RX-205



T-Nut | RX-206



Knurled Nut | RX-207



Wall Clip | RX-208



Eyebolt | RX-209



U-Bolt | RX-210



40 Structure Lock | RX-211



90° Lock | RX-212



45° Lock (Right) | RX-213-R



45° Lock (Left) | RX-213-L



Heavy Duty Feet | RX-216



80 Structure Lock | RX-217




Cube Clamp | RX-222



Silicon Rubber Strip | RX-223




Corner Brace | RX-224



Flat Elbow | RX-225



Picture Hanger | RX-218



Standard Joiner | RX-226



105 Bracket | RX-227



Standard Feet | RX-228


REXframe Accessories



Coupling Bolt | [RX-229](#)



Tool Free Elbow | [RX-230](#)



Tool Free Joiner | [RX-231](#)



105 Corner Knuckle | [RX-232](#)




108 Cube Knuckle | [RX-233](#)



110 Cube Knuckle | [RX-234](#)




Flat Feet | [RX-235](#)



L Shaped Feet | [RX-236](#)




L Shaped Feet (Black) | [RX-236B](#)




Rigging Profile Ring | [RX-243](#)




Heavy Duty T-Nut | [RX-244](#)




80 Structure Joiner | [RX-245](#)




108 Corner Knuckle | [RX-246](#)




110 Corner Knuckle | [RX-247](#)




Magnetic Shelf Kit (Small) | [RX-248](#)



Magnetic Shelf Kit (Large) | [RX-249](#)




Acrylic Shelf | [RX-250](#)



40 Structure Cap | [RX-252](#)



80 Structure Cap | [RX-253](#)




Heavy Duty Shelf Adapter | [RX-254](#)



Adjustable Heavy Duty Elbow | [RX-255](#)



45 Degree Knuckle | [RX-256](#)



60 Degree Knuckle | [RX-257](#)



REXwall Post Cap | [RX-258](#)



REXwall Tri Post Cap | [RX-259](#)




REXwall Corner Post Cap | [RX-260](#)



Universal Internal Knuckle | [RX-261](#)



Universal External Knuckle | [RX-262](#)



REXwall Adjustable Foot | [RX-263](#)



108 Curved Corner | [RX-264](#)



Hinge | [RX-267](#)



Door Magnet | [RX-268](#)



Door Stop | [RX-269](#)



Door Handle | [RX-270](#)




Universal Clamp | [RX-271](#)



Corner Brace Large | [RX-272](#)



REXwall Two-Way Post Cap | [RX-273](#)



REXwall Adjustable Post Cap | [RX-274](#)




Lockable Door Handle | [RX-275](#)



REXwall Cap Lock | [RX-276](#)



REXwall Adjustable Cap Lock | [RX-277](#)




45° Structure Lock (Right) | [RX-278-R](#)



45° Structure Lock (Left) | [RX-278-L](#)


Pneumatic punch | RX-410



REXkey Kit | RX-404



Drill Guide | RX-405



Knuckle Drill Bit | RX-406



Lock Drill Bit | RX-407



Gasket Sewing Guide | RX-408



Sample Kit | RX-409



Drill Guide 40 Structure | RX-411



Drill Guide Adapter | RX-412-A



Custom Printed 3D Parts | RX-413



POS Kit | RX-500


REXframe Tools



9-Light Module | [RX-300](#)



9-Light Dimmable Module | [RX-300-DIM](#)



9-Light Mini Module | [RX-300-MINI](#)



5-Light Module | [RX-301](#)



5-Light Dimmable Module | [RX-301-DIM](#)



6 AMP Transformer | [RX-303](#)



6 AMP Transformer (Premium) | [RX-303 PREM](#)



3" Connector | [RX-304](#)



12" Connector | [RX-305](#)



6ft Connector | [RX-306](#)




Single Module Transformer | [RX-307](#)



Halogen Arm Light | [RX-308](#)



LED Arm Light | [RX-309](#)



Parallel Connector | [RX-310](#)



RGB 5-Light Module | [RX-311](#)




RGB Standard Controller | [RX-312](#)



RGB Programmable Controller | [RX-313](#)



LaddeREX Module | [RX-314](#)




Single Wire Clip | [RX-316](#)



Multi Wire Clip | [RX-317](#)



10/6 Module Wire Harness | [RX-318](#)



20/12 Module Wire Harness | [RX-319](#)



30/18 Module Wire Harness | [RX-320](#)

REXframe Lighting



40/24 Module Wire Harness | [RX-321](#)



8' 318 Extension | [RX-322](#)



8' 319 Extension | [RX-323](#)



8' 320 Extension | [RX-324](#)



8' 321 Extension | [RX-325](#)



Power Repeater | [RX-326](#)



Dimmer | [RX-327](#)



13.5 AMP Transformer | [RX-330](#)



25 AMP Transformer | [RX-331](#)



3.125 AMP Inline Transformer | [RX-332](#)



Power Lead For 332 | [RX-333-US](#)



Connecting Lead For 332 | [RX-334](#)



7.5 AMP Transformer | [RX-335](#)



End Cap For 332 | [RX-336](#)



314 Saddle | [RX-340](#)




314 Screws | [RX-341](#)



314 Wire White | [RX-342-WHITE](#)



314 Wire Yellow | [RX-342-YELLOW](#)



Inline Adapter | [RX-343](#)



314 Clip | [RX-344](#)



Wire Connector | [RX-345](#)




REXfram outdoor structure



REXframe archway



REXframe free standing with curved openings



REXframe free standing media wall & counter



REXframe booths



REXframe projection screens & backwall



Various REXframe structures



REXframe curved lightboxes



REXframe cubed lightbox



REXframe outdoor towers



REXframe projection room



REXframe angled cubes



www.REXframe.com